

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



## Inventor Name Search Result

Your Search was:

Last Name = FUKUDA

First Name = SHINSUKE

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">10213822</a>	Not Issued	030	08/06/2002	CELL, CONNECTED-CELL BODY, AND BATTERY MODULE USING THE SAME	FUKUDA, SHINSUKE
<a href="#">10213799</a>	Not Issued	030	08/06/2002	PRISMATIC SEALED BATTERY MODULE	FUKUDA, SHINSUKE
<a href="#">10087794</a>	Not Issued	030	03/05/2002	METHOD AND APPARATUS FOR ATTACHING SEPARATOR TO ELECTRODE PLATE	FUKUDA, SHINSUKE
<a href="#">09996908</a>	Not Issued	030	11/30/2001	PRISMATIC BATTERY MODULE AND METHOD FOR MANUFACTURING THE SAME	FUKUDA, SHINSUKE
<a href="#">09856608</a>	Not Issued	030	06/27/2001	RECHARGEABLE BATTERY	FUKUDA, SHINSUKE
<a href="#">09842562</a>	Not Issued	071	04/25/2001	ELECTRODE PLATE UNIT AND BATTERY	FUKUDA, SHINSUKE
<a href="#">09833682</a>	Not Issued	071	04/12/2001	ELECTRODE AND ASSEMBLING METHOD THEREOF	FUKUDA, SHINSUKE
<a href="#">09670525</a>	Not Issued	094	09/26/2000	SEALED BATTERY PACK	FUKUDA, SHINSUKE
<a href="#">09516558</a>	<a href="#">6444353</a>	150	02/29/2000	INTEGRATED SEALED SECONDARY BATTERY	FUKUDA, SHINSUKE
<a href="#">09516556</a>	<a href="#">6482542</a>	150	02/29/2000	INTEGRATED SEALED SECONDARY BATTERY	FUKUDA, SHINSUKE
<a href="#">09331027</a>	<a href="#">6197446</a>	150	06/15/1999	INTEGRATED ENCLOSED SECONDARY BATTERY	FUKUDA, SHINSUKE
<a href="#">09331025</a>	<a href="#">6312851</a>	150	06/15/1999	SEALED SECONDARY BATTERY ASSEMBLY	FUKUDA, SHINSUKE

Inventor Search Completed: No Records to Display.

Last Name	First Name
Search Another: Inventor	<input type="text" value="fukuda"/> <input type="text" value="shinsuke"/>
	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Day : Tuesday  
 Date: 5/6/2003  
 Time: 12:14:08

# PALM INTRANET

## Inventor Name Search Result

Your Search was:

Last Name = TAKAKI

First Name = MITSUGU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">10087794</a>	Not Issued	030	03/05/2002	METHOD AND APPARATUS FOR ATTACHING SEPARATOR TO ELECTRODE PLATE	TAKAKI, MITSUGU
<a href="#">09856608</a>	Not Issued	030	06/27/2001	RECHARGEABLE BATTERY	TAKAKI, MITSUGU
<a href="#">09850791</a>	Not Issued	041	05/08/2001	METHOD FOR MANUFACTURING ELECTRODE PLATE FOR BATTERY	TAKAKI, MITSUGU
<a href="#">09829315</a>	Not Issued	030	04/09/2001	BATTERY ELECTRODE AND MANUFACTURING METHOD AND APPARATUS FOR THE SAME	TAKAKI, MITSUGU
<a href="#">09788538</a>	Not Issued	071	02/21/2001	METHOD OF MANUFACTURING ELECTRODE PLATES FOR BATTERIES	TAKAKI, MITSUGU
<a href="#">09684420</a>	<a href="#">6528202</a>	150	10/06/2000	SAFETY VENT DEVICE USED IN A BATTERY MODULE	TAKAKI, MITSUGU
<a href="#">09670525</a>	Not Issued	094	09/26/2000	SEALED BATTERY PACK	TAKAKI, MITSUGU
<a href="#">09566124</a>	<a href="#">6416559</a>	150	05/05/2000	METHOD FOR MANUFACTURING ELECTRODES FOR BATTERY	TAKAKI, MITSUGU
<a href="#">09516558</a>	<a href="#">6444353</a>	150	02/29/2000	INTEGRATED SEALED SECONDARY BATTERY	TAKAKI, MITSUGU
<a href="#">09516556</a>	<a href="#">6482542</a>	150	02/29/2000	INTEGRATED SEALED SECONDARY BATTERY	TAKAKI, MITSUGU
<a href="#">09331025</a>	<a href="#">6312851</a>	150	06/15/1999	SEALED SECONDARY BATTERY ASSEMBLY	TAKAKI, MITSUGU

Inventor Search Completed: No Records to Display.

<b>Search Another: Inventor</b>	<input type="text" value="takaki"/>	<input type="text" value="mitsugu"/>	<input type="button" value="Search"/>
---------------------------------	-------------------------------------	--------------------------------------	---------------------------------------

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

 PALM INTRANET

Day : Tuesday  
Date: 5/6/2003  
Time: 12:14:52

**Inventor Name Search Result**

Your Search was:

Last Name = BOUKI

First Name = YOSHIHIRO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10087794	Not Issued	030	03/05/2002	METHOD AND APPARATUS FOR ATTACHING SEPARATOR TO ELECTRODE PLATE	BOUKI, YOSHIHIRO

Inventor Search Completed: No Records to Display.

Search Another: Inventor	<input type="text" value="bouki"/>	<input type="text" value="yoshihiro"/>	<input type="button" value="Search"/>
--------------------------	------------------------------------	--	---------------------------------------

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Drafts

Pending

Active

- ocr L1: (1284) ((electrode or anode or cathode) near3 separator)
- L2: (19669) ((electrode or anode or cathode) near3 separator)
- L3: (1049) 2 and (blade or knife)
- ocr L4: (71) 1 and (blade or knife)
- ocr L8: (0) 1 and diecut\$4
- L7: (2) 2 and diecut\$4
- L12: (1016) 3 not 156/\$7.ccls.
- L14: (126) 12 and ((cut or cuts or cutting) near3 (separator))

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

10/087, 794

5-6-03

Search List Browse Queue Clear

DBs: USPAT, US-PGPUB, EPO, JPO, DEPI,  Plurals

Default operator: OR

Highlight all hit terms initially

12 and ((cut or cuts or cutting) near3 (separator))

BRG form  Is & Form  Image  Text  HTML

U | 1 | Document ID | Issue Date | Pages

Title

Current OR Current X Re Retrieval C

HQ  Details  HTML

Ready

NUM

Drafts Pending Active

- L1: (789) 156/251.ccls.
- ocr L3: (333) 156/251.ccls.
- L4: (29826) electrode adj plate
- L5: (236335) separator
- L6: (3850) 4 and 5
- L7: (1) 1 and 6
- ocr L8: (3224) electrode adj plate
- ocr L9: (55307) separator
- ocr L11: (380) 8 and 9
- ocr L12: (0) 11 and 3
- L13: (0) 156/530.ccls. and 6
- ocr L15: (0) 156/530.ccls. and 11
- L16: (19) 6 and 156/\$7.ccls.
- ocr L17: (11) 11 and 156/\$7.ccls.
- ocr L19: (0) (electrode with separator) and (156/251.ccls. or 156/530.ccls.)
- L21: (112) (electrode with separator) and (156/\$7.ccls.)
- L18: (3) (electrode with separator) and (156/251.ccls. or 156/530.ccls.)
- ocr L20: (29) (electrode with separator) and (156/\$7.ccls.)
- L22: (93) 21 not (16 or 18)
- ocr L25: (0) 3 and 9 and (cathode or anode)
- L26: (0) 156/530.ccls. and 5 and (cathode or anode)
- ocr L27: (0) 156/530.ccls. and 9 and (cathode or anode)
- L24: (2) 1 and 5 and (cathode or anode)
- ocr L28: (10) ((cathode or anode) with separator) and (156/\$7.ccls.)
- L29: (66) ((cathode or anode) with separator) and (156/\$7.ccls.)
- L31: (32478) ((electrode or anode or cathode) with separator)
- L32: (133) 31 and 156/\$7.ccls.
- L33: (0) 21 not (29 or 24 or 22 or 18 or 16 or 7)
- ocr L34: (2612) ((électrode or anode or cathode) with separator)
- ocr L35: (32) 34 and 156/\$7.ccls.
- ocr L36: (0) 35 not (17 or 20 or 28)

Failed Saved Favorites Tagged (0) UDC Queue Trash

SEARCH UFT Browse Options

DBs USPAT UPI Plural Default operator:  Highlight all hit terms initially

DBS Items SAB Form Image Text HTML

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
Ready						NUM

Drafts Pending Active

- ↳ L1: (32345) ((electrode or anode or cathode) with (separator)) not 156/\$7.ccls.
- ↳ L2: (2324) 1 and ((heat or heats or heated or heating) with separator)
- ↳ ocr L3: (2580) ((electrode or anode or cathode) with (separator)) not 156/\$7.ccls.
- ↳ ocr L4: (230) 3 and ((heat or heats or heated or heating) with separator)
- ↳ L6: (186) 2 and ((cut or cuts or cutting) near3 separator)

Failed

Saved Favorites Tagged (0) UDC Queue Trash

Search Browse Queue Clear

DBs: USPAT:US P: Plurals

Default operator: OR Highlight all hit terms initially

2 and ((cut or cuts or cutting)  
near3 separator)

BRB form I&R form Images Text HTML

U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRe	Retrieval C	NUM
HB	Details	HTML							

Ready

File View Edit Tools Window Help

Drafts Pending Active

- ✓ L2: (18341) (matsushita adj electric adj industrial).asn.
- ✓ L3: (648) 2 and (electrode or anode or cathode) and separator
- ✓ L4: (442) 3 and (heat\$3)
- ✓ L5: (222) 4 and (cut or cuts or cutting or blade or knife or dicut\$4)
- ✓ L6: (119) 5 and (laminat\$4 or bond\$4)

Failed Saved Favorites

- Tagged (0)
- UDC
- Queue
- Trash

Section Search Queue Clear DBs: USPAT, US-PGPUB, EPO, JPO, DER, PatsPlus Default operator: OR  Highlight all hit terms initially

5 and (laminat\$4 or bond\$4)

10/087,794  
5-6-03

U	1	Document ID	Issue Date	Pages	Title	Current	OR	Current	XRe	Retrieval	C
<input checked="" type="checkbox"/> Has	<input checked="" type="checkbox"/> Details	<input checked="" type="checkbox"/> HTML				<input checked="" type="checkbox"/> PDF form	<input checked="" type="checkbox"/> TGA form	<input checked="" type="checkbox"/> Image	<input checked="" type="checkbox"/> Text	<input checked="" type="checkbox"/> HTML	

Ready

NUM